

Block A Pinot Gris

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Good vigour (image 1)

Canopy height x width (av. - cm)

80 x 40 cm Canopy Lifting

Wires are up

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth (image

1)

Leaf Colour

Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 3)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Small to medium size bunches

(image 2), medium to high density.

Frost or Cold Damage

No Notes Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (old infection)

1

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)

Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils

Not sighted

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's

Not sighted

Notes

3 leaves found with Downy

Mildew (front and back images 4

& 5) - only very slightly active if at

all.

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Mostly clean (image 2)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other















Block B Chardonnay

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Good vigour (image 1)

Canopy height x width (av. - cm)

100 x 60 cm

Canopy Lifting

First lift is done

Canopy & Crown Density (thinning

requirements)

Some dense crowns (image 4)

Leaf Colour

Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Watershoots taped and trained

for rejuvenation (image 3).

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Small to medium size (image 2),

medium to high density.

Frost or Cold Damage

No

Notes

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)

Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils

Not sighted

Eutypa

Generally not showing up on the

canes, some with low vigour

(image 5).

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

Some low vigour/deficiency

symptoms waterlogged swampy

areas (image 6).

Beneficial's

Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Some weeds (image 3)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other

















Block C Pinot Noir

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Good vigour (image 1)

Canopy height x width (av. - cm)

90 x 50 cm Canopy Lifting

First lift done

Canopy & Crown Density (thinning

requirements)

Some dense crowns (image 6)

Leaf Colour

Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Watershoots trained and flagged

(image 3)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Medium size, medium to high

density.

Frost or Cold Damage

No

Notes

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (old infection)

1

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)

Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils

Not sighted

Eutypa

Some patches of Eutypa (image

4), generally not showing up on

the canes.

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

Some low vigour/deficiency

symptoms waterlogged swampy

areas (image 5).

Beneficial's

Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Some weeds (image 3)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other



1 leaf sighted with Downy Mildew (image 6)- not active.















Block D Viognier

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Moderate to good vigour (image 1)- picking up with some warmer weather.

Canopy height x width (av. - cm)

100 x 60 cm

Canopy Lifting

First lift is done

Canopy & Crown Density (thinning

requirements)

Some dense crowns (image 4)

Leaf Colour Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 3)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Small to medium size (image 2),

medium density.

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted Snails

Not sighted

Mites

Some Blister Mite (image 6)

Weevils
Not sighted
Eutypa

Some patches (image 5).

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Precipitation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Mostly clean (image 3)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other



















Block E Chardonnay

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Good vigour (image 1)

Canopy height x width (av. - cm)

80 x 60 cm

Canopy Lifting

First lift is done

Canopy & Crown Density (thinning

requirements)

Some dense crowns (image 4)

Leaf Colour Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Watershoots flagged and trained

(image 3).

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Small to medium size (image 2),

medium density- some gaps

(image 5)

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

Not sighted

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils

Not sighted

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Some weeds returning (image 3)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other

















Block F Pinot Gris

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Moderate to good vigour (image 1)- picking up with some warmer weather.

Canopy height x width (av. - cm)

80 x 40 cm Canopy Lifting First lift is done

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth (image

3)

Leaf Colour

Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some watershoots (image 3)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Small to medium size (image 2),

medium to high density.

Frost or Cold Damage

No

Notes

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (old infection)

0

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils

Not sighted

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's

Not sighted

Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Some weeds- mostly grass-

returning (image 3).

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other











Block H Pinot Meunier

Vine Growth, Canopy & Crop

EL Stage

29

Tip Growth

Strong (image 1)

Canopy height x width (av. - cm)

90 x 50 cm

Canopy Lifting

First lift is done

Canopy & Crown Density (thinning

requirements)

Fairly even shoot growth

Leaf Colour Good

Leaf Loss (shading or stress)

No

Watershoot Growth

Some big watershoots (image 3)

Fruit/ Inflorescence Density,

Overcovering, Bunch size & condition

Medium size, medium density.

Frost or Cold Damage

No Notes **Pest, Disease & Nutrition**

Powdery Mildew

0

Downy Mildew (old infection)

1

Botrytis (leaf or bunch)

No

LBAM (webbing / moths / eggs /

caterpillars)
Not sighted

Scale (adults / eggs / crawlers)

Not sighted

Snails

Not sighted

Mites

Not sighted

Weevils

Not sighted

Eutypa

Not showing up on the canes

Diaporthe

No

Phomopsis

No

Nutrient Deficiency / Toxicity

No

Beneficial's Not sighted

Notes

Old Downy Mildew (image 4) - not

active- contained by sprays.

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent

Irrigation / Preciptation

Good

Irrigation System (leaks, blocked

emitters etc.)

N/a

Weed Growth (vine rows)

Mostly clean (image 3)

Weed Growth (mid rows)

Some broadleaf

Sward Length (rows / headlands)

Recently slashed

Broken Posts (intermediate / Strainers)

N/a

Broken Wires

N/a

Notes / Other













Summary

Date Monitored By 30/12/2022 Alex Mills

allels

Vineyard Summary

All varieties are into fruitset with recent warmer weather providing the conditions for some good vigour. Downy Mildew has been contained by sprays with no active leaves sighted.

Signature

GPS Location



Vineyard Map