

Block A Pinot Gris

Vine Growth, Canopy & Crop

EL Stage 27 **Tip Growth** Generally strong (image 2) Canopy height x width (av. - cm) 70 x 40 cm **Canopy Lifting** Wires are down Canopy & Crown Density (thinning requirements) Dense crowns (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Some watershoots (image 1) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** Medium density- some gaps with missing vines (image 6), medium size (image 3), some flowering remnant (image 4) Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Dead snail (image 7) Mites Not sighted Weevils Not sighted, some signs of damage (image 5) Eutypa Not showing up on the canes Diaporthe No **Phomopsis** No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other






















Block B Chardonnay

Vine Growth, Canopy &

Crop

EL Stage 27 **Tip Growth** Strong Canopy height x width (av. - cm) 80 x 50 cm **Canopy Lifting** First lift is done Canopy & Crown Density (thinning requirements) Dense canopy and crowns (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Clean trunks, watershoots taped for rejuvenation (image 1) Fruit/ Inflorescence Density, Overcovering, Bunch size & condition Medium density- some gaps with missing vines, medium size (image 3), some flowering remnant (image 7). Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Dead Scale (image 5) Snails Dead snail (image 6) Mites Not sighted Weevils Not sighted Eutypa Not showing up on the canes Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1). Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other

Photos



















Block C Pinot Noir

Vine Growth, Canopy &

Crop

EL Stage 27 **Tip Growth** Strong Canopy height x width (av. - cm) 90 x 40 cm **Canopy Lifting** First lift is done Canopy & Crown Density (thinning requirements) Dense canopy and crowns (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Generally clean trunks, watershoots taped for rejuvenation (image 1) Fruit/ Inflorescence Density, Overcovering, Bunch size & condition Medium to high density, medium size, some flowering remnant (image 3) Frost or Cold Damage Some, not much. Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Not sighted Mites Not sighted Weevils Not sighted Eutypa Not showing up on the canes Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other

Photos











Block D Viognier

Vine Growth, Canopy &

Crop

EL Stage 27 **Tip Growth** Strong Canopy height x width (av. - cm) 80 x 50 cm **Canopy Lifting** First lift is done Canopy & Crown Density (thinning requirements) Dense canopy and crowns Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Watershoots returning (images 1 & 6) Fruit/ Inflorescence Density, Overcovering, Bunch size & condition Medium density, medium size (image 3), some stuck caps and flowering remnant (image 5). Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Not sighted Mites Quite a lot of blister mite (image 4) Weevils Not sighted Eutypa Patches of Eutypa (image 7) generally not showing up on the canes Diaporthe No **Phomopsis** No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other



















Block E Chardonnay

Vine Growth, Canopy &

Crop

EL Stage 27 **Tip Growth** Strong Canopy height x width (av. - cm) 80 x 50 cm **Canopy Lifting** First lift is done Canopy & Crown Density (thinning requirements) Dense canopy and crowns (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Generally clean trunks (image 1) Fruit/ Inflorescence Density, Overcovering, Bunch size & condition Medium density, medium size, some flowering remnant (image 3) Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Dead snail (image 4) Mites Some blister mite (image 5) Weevils Not sighted Eutypa Not showing up on the canes Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other

Photos













Block F Pinot Gris

Vine Growth, Canopy &

Crop

EL Stage 27 **Tip Growth** Strong (image 2) Canopy height x width (av. - cm) 70 x 50 cm **Canopy Lifting** First lift is done Canopy & Crown Density (thinning requirements) Dense crowns (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Watershoots returning (image 1) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** Medium density, medium size, some flowering remnant (image 3). Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Not sighted Mites Some blister mite (image 4) Weevils Not sighted Eutypa Not showing up on the canes Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) 30 cm Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other













Block G Pinot Meunier

Vine Growth, Canopy & Crop

EL Stage 27 **Tip Growth** Generally strong (image 2) Canopy height x width (av. - cm) 50 x 30 cm **Canopy Lifting** Wires are down Canopy & Crown Density (thinning requirements) Light density (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Watershoots returning (image 1) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** Light density, small to medium size, some flowering remnant (image 3) Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Dead snails (image 5) Mites Not sighted Weevils Not sighted Eutypa No Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) 20 cm Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other











Block H1 Pinot Meunier

Vine Growth, Canopy &

Crop

EL Stage 27 **Tip Growth** Strong (image 1) Canopy height x width (av. - cm) 70 x 40 cm **Canopy Lifting** First lift is done Canopy & Crown Density (thinning requirements) Dense canopy and crowns (image 2) Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Generally clean trunks, watershoots taped for rejuvenation (image 1) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** Medium to high density, medium size (image 3) Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Not sighted Mites Not sighted Weevils Not sighted Eutypa Not showing up on the canes Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other

Photos











Block H2 Pinot Meunier

Vine Growth, Canopy & Crop

EL Stage N/a **Tip Growth** Generally strong (images 1 & 2) Canopy height x width (av. - cm) N/a **Canopy Lifting** N/a Canopy & Crown Density (thinning requirements) N/a Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Some laterals (image 2) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** N/a Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Not sighted Mites Not sighted Weevils Not sighted Eutypa No Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other











Block I Pinot Noir

Vine Growth, Canopy & Crop

EL Stage N/a **Tip Growth** Generally strong (images 1 & 2) Canopy height x width (av. - cm) N/a **Canopy Lifting** N/a Canopy & Crown Density (thinning requirements) N/a Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Some laterals (image 2) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** N/a Frost or Cold Damage No Notes

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Not sighted Mites Not sighted Weevils Not sighted Eutypa No Diaporthe No Phomopsis No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other











Block J Chardonnay

Vine Growth, Canopy & Crop

EL Stage N/a **Tip Growth** Generally strong (images 1 & 2) Canopy height x width (av. - cm) N/a **Canopy Lifting** N/a Canopy & Crown Density (thinning requirements) N/a Leaf Colour Good Leaf Loss (shading or stress) No Watershoot Growth Recently trained (image 3) Fruit/ Inflorescence Density, **Overcovering, Bunch size & condition** N/a Frost or Cold Damage No Notes Some kangaroo damage (image 4)

Pest, Disease & Nutrition

Powdery Mildew 0 **Downy Mildew (old infection)** 0 Botrytis (leaf or bunch) No LBAM (webbing / moths / eggs / caterpillars) Not sighted Scale (adults / eggs / crawlers) Not sighted Snails Dead snail (image 5) Mites Not sighted Weevils Not sighted. Dead black beetle (image 6). Eutypa No Diaporthe No **Phomopsis** No **Nutrient Deficiency / Toxicity** No **Beneficial's** Not sighted Notes

Soil, Irrigation, Sward, Trellis, Other

Soil Moisture / Cracks / Recent Irrigation / Preciptation Good Irrigation System (leaks, blocked emitters etc.) N/a Weed Growth (vine rows) Generally clean (image 1) Weed Growth (mid rows) Some broadleaf Sward Length (rows / headlands) Recently slashed Broken Posts (intermediate / Strainers) N/a **Broken Wires** N/a Notes / Other











Summary

Date 05/12/2023 Monitored By Alex Mills

Vineyard Summary

Through flowering with generally a medium density of medium size bunches and no urgent pest and disease issues. There is blister mite in some blocks but won't affect growth or yield. There are some signs of weevil damage to watershoots, none sighted. Some dead snails. Some nibbling in new plantings- may be earwigs, and some dead black beetles.

Signature

GPS Location



Vineyard Map

