

Block 1 Merlot

Date

18/11/2020 **Monitored by:**

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage

20

Tip Growth
Active

Canopy Height (av. - cm)

60

Canopy Width (av. - cm)

50

Canopy Density (thinning requirements)

Not required

Crown Density (thinning requirements)

Not required

Leaf Colour

Lear Colour

Excellent

Canopy Lifting

Required soon

Leaf Loss (shading or stress)

None

Watershoot Growth

Minimal

Fruit / Inflorescence Density, Overcropping

Large number of bunches

Inflorescence / Bunch Condition & Size

Good bunch size

Frost damage

NIL

Cold damage

NIL

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

0

Snails

<1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)

0

Weevils

0

Eutypa

<1

Pest & Disease Notes / Other

Eutypa is noted in some trunks.

Cordon removal and cane pruning

has kept the vines fresh.

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil moist from rainfall

Recent Irrigation / Precipitation

Regular rainfalls

Weed Growth (vine rows)

Minimal

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium length to be slashed in a

week or two



Block 2 Cabernet Sauvignon

Date

18/11/2020 **Monitored by:**

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage 18-19

Tip Growth Active

Canopy Height (av. - cm)

65

Canopy Width (av. - cm)

45

Canopy Density (thinning requirements)

Not required

Crown Density (thinning requirements)

Not required
Leaf Colour
Excellent
Canopy Lifting
Required soon

Leaf Loss (shading or stress)

None

Watershoot Growth

Small watershoot regrowth

Fruit / Inflorescence Density, Overcropping

Bunch thin may be required at

veraison

Inflorescence / Bunch Condition & Size

Large inflorescences noted

Frost damage

NIL

Pest, Disease & Nutrition

Powdery Mildew

n

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

0

Snails

<1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)
None noted
Weevils

0

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil moist

Recent Irrigation / Precipitation

Regular recent rainfalls

Weed Growth (vine rows)

Minimal

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium length, to be slashed soon



Block 3 Sangiovese

Date

18/11/2020

Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage

19-20

Tip Growth

Active

Canopy Height (av. - cm)

75

Canopy Width (av. - cm)

50

Canopy Density (thinning requirements)

May be required after fruit set

Crown Density (thinning requirements)

Medium

Leaf Colour

Excellent

Canopy Lifting

Required soon

Leaf Loss (shading or stress)

None

Watershoot Growth

Small shoot regrowth

Fruit / Inflorescence Density, Overcropping

Thinning may be required

Inflorescence / Bunch Condition & Size

Medium to large bunches

Frost damage

NIL

Pest, Disease & Nutrition

Powdery Mildew

Λ

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

0

Snails

<1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)

None noted

Weevils

0

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil moist

Recent Irrigation / Precipitation

Regular recent rainfalls

Weed Growth (vine rows)

Minimal, blackberries noted

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium, to be slashed soon

Trellis, General Vineyard





Block 4a Cabernet Sauvignon

Date

18/11/2020 Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage 18-19

Tip Growth Active

Canopy Height (av. - cm)

60

Canopy Width (av. - cm)

40

Canopy Density (thinning requirements)

Not required, later bunch thinning

may be required

Crown Density (thinning requirements)

Not required **Leaf Colour** Excellent **Canopy Lifting** Required soon

Watershoot Growth

Leaf Loss (shading or stress)

None

Small shoot regrowth noted

Fruit / Inflorescence Density, Overcropping 0

Significant bunch numbers.

Thinning requirements to be

assessed at veraison

Inflorescence / Bunch Condition & Size

Large bunch sizes

Frost damage

None

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

Mites

0

Snails <1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

LBAM (webbing / moths / eggs /

caterpillars) None sighted

Weevils

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil moist

Recent Irrigation / Precipitation

Recent rainfalls

Weed Growth (vine rows)

Minimal

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium, slashing required soon

Trellis, General Vineyard



Block 4b Shiraz

Date

18/11/2020 Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage 18-20

Tip Growth
Active

Canopy Height (av. - cm)

75

Canopy Width (av. - cm)

50

Canopy Density (thinning requirements)

Not required at this stage

Crown Density (thinning requirements)

Not required Leaf Colour Excellent Canopy Lifting Required soon

Leaf Loss (shading or stress)

None

Watershoot Growth
Small shoot regrowth

Fruit / Inflorescence Density, Overcropping

Large numbers of inflorescences, thinning to be considered later

Inflorescence / Bunch Condition & Size

Large inflorescence sizes

Frost damage

NIL

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

<1

Snails

<1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)

None sighted

Weevils

0

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil moist

Recent Irrigation / Precipitation

Recent rainfalls

Weed Growth (vine rows)

Minimal. Herbicide has been

effective and weeds have died.

Blackberries noted

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium, to be slashed soon





Block 5a Sauvignon Blanc

Date

18/11/2020

Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage

17-19

Tip Growth

Active

Canopy Height (av. - cm)

50

Canopy Width (av. - cm)

30

Canopy Density (thinning requirements)

Not required unless for high tonne

price

Crown Density (thinning requirements)

Medium

Leaf Colour

Excellent

Canopy Lifting

Not required yet

Leaf Loss (shading or stress)

None

Watershoot Growth

Minimal

Fruit / Inflorescence Density, Overcropping

Medium to heavy crop

Inflorescence / Bunch Condition & Size

Medium to large bunch size

Frost damage

Early frost damage has regrown

with minimal consequence

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

<1

Snails

<1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)

None sighted

Weevils

U

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil quite damp to wet

Recent Irrigation / Precipitation

Regular rainfalls

Weed Growth (vine rows)

Weed growth to be sprayed once

ground has dried

Weed Growth (mid rows)

Volunteer grasses

Sward Length (rows / headlands)

Medium length



Blocks 5b & 5c Shiraz

Date

18/11/2020

Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage

16-17

Tip Growth

Active

Canopy Height (av. - cm)

40

Canopy Width (av. - cm)

30

Canopy Density (thinning requirements)

May be required after flower set

Crown Density (thinning requirements)

Not required

Leaf Colour

Excellent

Canopy Lifting

Required soon

Required Soon

Leaf Loss (shading or stress)

None

Watershoot Growth

Minimal

Fruit / Inflorescence Density, Overcropping

Large crop for such young vines

Inflorescence / Bunch Condition & Size

Large bunch size for such young

vines

Frost damage

Minimal in low areas

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

<1

Snails

<1

Scale (adults)

<1

Scale (eggs)

0

Scale (crawlers)

0

LBAM (webbing / moths / eggs /

caterpillars)

None sighted

Weevils

0

Beneficials

Earwigs noted

Soil, Irrigation, Sward

Soil Moisture / Cracks

Soil quite wet

Recent Irrigation / Precipitation

Regular rainfalls

Weed Growth (vine rows)

Weed growth in vine rows to be

sprayed when ground is dry enough

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium



Block 6 Merlot

Date

18/11/2020

Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage 18-19

Ti-- O---

Tip Growth Active

Canopy Height (av. - cm)

40

Canopy Width (av. - cm)

30

Canopy Density (thinning requirements)

Not at this stage

Crown Density (thinning requirements)

Medium density

Leaf Colour
Excellent
Canopy Lifting
Required soon

Leaf Loss (shading or stress)

None

Watershoot Growth

Minimal

Fruit / Inflorescence Density, Overcropping

Thinning may be required after

flowering

Inflorescence / Bunch Condition & Size

Large bunches Frost damage

None

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0 Mites

<1 Snails

1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)
None sighted

Weevils

U

Soil, Irrigation, Sward

Soil Moisture / Cracks

Damp soil

Recent Irrigation / Precipitation

Regular rainfalls

Weed Growth (vine rows)

Minimal

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium length



Blocks 7, 8 & 9 Pinot Noir

Date

18/11/2020

Monitored by:

Martha Valkenburg

Vine Growth / Canopy & Crop

EL Stage

19-20

Tip Growth

Active

Canopy Height (av. - cm)

75

Canopy Width (av. - cm)

40

Canopy Density (thinning requirements)

Not applicable

Crown Density (thinning requirements)

Not applicable

Leaf Colour

Excellent

Canopy Lifting

1st lift completed

Leaf Loss (shading or stress)

None

Watershoot Growth

Watershoots to be trained as

replacement trunks

Fruit / Inflorescence Density, Overcropping

Good crop

Inflorescence / Bunch Condition & Size

Medium bunch size

Frost damage

None

Pest, Disease & Nutrition

Powdery Mildew

0

Downy Mildew (oil spots or active

infection)

0

Downy Mildew (old infection)

0

Botrytis (leaf)

0

Botrytis (bunch)

0

Mites

<1

Snails

1

Scale (adults)

<1

Scale (eggs)

<1

Scale (crawlers)

<1

LBAM (webbing / moths / eggs /

caterpillars)

None sighted

Weevils

U

Soil, Irrigation, Sward

Soil Moisture / Cracks

Damp soil

Recent Irrigation / Precipitation

Regular rainfalls

Weed Growth (vine rows)

Medium weed growth. No

herbiciding to be done due to

watershoot retention

Weed Growth (mid rows)

Volunteer sward

Sward Length (rows / headlands)

Medium

Trellis, General Vineyard